

Manufacturing Unit-II: 221/1, GIDC INDL Area Umbergaon, Vapi, Gujarat 396171

#### www.creativeforged.com / sales@creativeforged.com

# **COMPANY PROFILE**

Creative Piping Solutions Pvt Ltd An ISO 9001 : 2015, ISO 14001 : 2015, OHSAS 18001:2007, PED certified manufacturer, government approved export house in the key areas of Piping and Tubing. We are into the widest assortment of two Halves Butt-welded Pipe Fittings, Forged, Socket Weld & Screwed Fittings Flanges, Pipe Spools, Long Radius Induction Bends & various other specialized tailor made fabricated products in stainless steel, alloy steel, carbon Steel & LTCS, in different grades, sizes, types, schedules & class.We offer Buttweld fittings in various types,wall thickness material grade and sizes. Apart from the standard array,we can also design and develop buttweld pipe fittings in various dimensions and shapes as per the client specifications adhere to the International standards

Some of the <mark>uniq</mark>ue values that comes along with Divine products

- Commitment to complete customer satisfaction
- Complete product knowledge
- ·Total Quality management
- State of the art manufacturing & assembling facilities
- Excellent sourcing capability
- Competitive pricing
- Prompt & reliable customer services

OUR PRODUCT RANGE:Butt weld Fittings, Socket weld Fittings, Flanges, Fasteners in order to further expand the market and our product offerings we are very actively involved in All stocking & supply of stainless

steel, carbon steel, alloy steel in the form of All Forms No wonder we have associated, and a regular supplier to the best of companies from various industries such as

- · Oil & Gas
- · Petrochemicals
- · Agro chemicals
- · Fire safety product
- · Shipping
- · Engineering
- · Dairy & Food processing
- · Pharmaceutical



### ABOUT US

Creative Piping Solutions Private Limited. - one of the top Manufacturer of Pipe Fittings in India. We are a reputed Supplier of Butt weld Fittings, Forged Fitting, Industrial Flanges. Our High Quality of pipe Fittings Products are exported to worldwide. We at Creative Piping Solution always strive to make Pipe Fittings & Flanges that are excellent in quality, rich in material content and made to perfection that will last forever.

## PRODUCT RANGE

www.creativeforged.com



**Butt Weld Fittings** 

STAINLESS STEEL: ASTM A403 WP 304 / 304L / 304H / 316 / 316L / 317 / 317L/ 321 / 310 / 347 / 904L etc
CARBON STEEL: ASTM A234 WPB/A420, WPL3/A420, WPL6/ MSS-SP-75 WPHY42/46/52/56/62/65/70.
ALLOY STEEL: ASTM A 234 WP1 / WP5 / WP9 / WP11 / WP22 / WP91 etc.
NICKEL ALLOY: Monel, Nickel, Inconel, Hastelloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.
TYPES: Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.
SIZE: 1/4" NB to 48" NB. (Seamless & Welded)
WALL THICKNESS: Sch.
For More details Visit- http://www.creativeforged.com/buttweldpipe-fittings/



**Flanges** 

STAINLESS STEEL: ASTM A182 F304 / 304L / 304H / 316 / 316L / 317 / 317L /321 / 310 / 347 / 904L etc
CARBON STEEL: ASTM A105 /A694 F42 / 46 / 52 / 56 / 60 / 65 / 70 / A350Lf2, etc. LOW TEMPERATURE, CARBON STEEL: A333 Gr.3/Gr.6 etc.
OTHERS: Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium,Tantalum,
Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.
TYPES: Weldneck, Slipon, Blind, Socket Weld, Lap Point, Spectacles, Ring Joint, Oriface, Long Weldneck, Deck Flange, RTJ, Flange.
SIZE: 1/2" NB to 60" NB.
WALL THICKNESS: 150#, 300#, 400#, 600#, 900#, 1500# & 2500#.
STD: ANSI / DIN / EN / BS / JIS.
For More details Visit- http://www.creativeforged.com/flanges/



Forged Socket weld & Screwed Fitting

**STAINLESS STEEL:** ASTM A182 F304 / 304L / 304H / 316 / 316L / 317 / 317L /321 / 310 / 347 / 904L etc

**CARBON STEEL:** ASTM A105 /A694 F42 / 46 / 52 / 56 / 60 / 65 / 70 / A350LF2, etc. **ALLOY STEEL:** ASTM A182 F2 / F5 / F9 / F11 / F22 / F91 etc.

**OTHERS:** Monel, Nickel, Inconel, Hastelloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.

**TYPES**: Elbow, Tee, Union, Cross, Coupling, Cap, Bushing, Plug, Swage, Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Sockolet, Thredolet, Nipolet, Letrolet, etc.

**SIZE:** 1/4" NB to 4" NB.

**CLASS:** 3000#, 6000#, 9000#.

For More details Visit- http:// www.creativeforged.com /forged-fittings/



Fasteners

**STAINLESS STEEL:** AISI 302, 304, 304l, 316, 316L, 310, 317, 317L, 321, 347, 410,420, 904L etc

**CARBON STEEL:** Bare Condition, Galvanized Phosphatised, Cadium Plated, HotDeep Galvanized, Bloodied, Nickel Chrome Plated etc.

**ALLOY STEEL:** 4.6, 5.6, 6.6, 8.8, 10.9, & 12.9 / 'R', 'S', 'T' Conditions. NON FERROUS METAL: Copper, Brass, Aluminium, Titanium, Nichrome, Al.Bronze

Phosphoros Bronze, etc

**TYPES:** Bolt, Nuts, Washer, Anchor Fastener, Stud Bolts, Eye Bolt, Stud, Threaded Rod,

Cotter Pin, Socket Screw, Fine Fasteners & Spares, Foundation Fasteners etc. **For More details Visit**- http://www.creativeforged.com/fasteners/



**Branch-Olet** 

SPECIFICATIONS: ASTM B 564 / ASTM SB 564
DIMENTIONS: ASTM 16.11, MSS SP-79, 83, 95, 97, BS 3799
SIZE: 1/8"-4" (DN6-DN100)
MATERIAL: Stainless Steel, Carbon Steel, Alloys Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.
TYPES: Welding Olet, Sock Olet, Threaded Olet, Lateral Olet, Elbow Olet, Nippe Olet,
SIZE: 1/4" NPS to 4" NPS.
CLASS: 3000#, 6000#, 9000#.
For More details Visit- http://www.creativeforged.com/forged-fittings/

### Pre-fabricated Pipe Fittings Spool-



<u>Pre-fabricated</u> <u>Pipe Fitting</u> Flanged elbow Flanged elbow is flange welded to the end of elbow. It maybe one end or two end.The flanged end will connected to flange directly. The elbow could be according to ASME B 16.9, EN10253 or GOST17375The flange will be according to ASME B16.5,EN1092 or GOST. **Size :** 1/2" to 96" **Pressure :** 150# to 2500# **Material :** Stainless Steel, Carbon Steel, Alloys Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, **For More Details Visit:** http://www.creativeforged.com/pipe-spool/



STAINLESS STEEL: AISI 302, 304, 304l, 316, 316L, 310, 317, 317L,321, 347, 410, 420, 904L etc CARBON STEEL: Bare Condition, Galvanized Phosphetised, Cadium Plated, Hot Deep Gavanized, Bloodied, Nickel ChromePlated etc. ALLOY STEEL: 4.6, 5.6, 6.6, 8.8, 10.9, & 12.9 / 'R', 'S', 'T' Conditions. NON FERROUS METAL: Copper, Brass, Aluminium,Titanium, Nichrome, Al.Bronze Phosphoros Bronze, etc TYPES: Equal Lateral Tee, Reducing Lateral Tee For More Details Visit: http://www.creativeforged.com/lateral-tee/



Hot Induction bend

Pipe Diameter (O.D): min. 2" (60,3 mm); max 60" (1524 mm)
Radius: min. 100 mm; max. 11000 mm
Wall thickness: max. 200 mm/ 3mm- 40mm / SCH5, SCH10, SCH20, SCH30,SCH40, STD, SCH80, XS, SCH60, SCH80, SCH120, SCH140, SCH160, XXS
Pipe Bend Angle: 0°- 180°
Production Grades: Carbon Steel API 51, ASTM A106 Grade B, Stainles

**Production Grades:** Carbon Steel, API 5L, ASTM A106 Grade B, Stainless Steel, Alloy Steel, Duplex, Nickel Alloys, Low temperature Steel, Copper, Cupro Nickel, Inconel, Monel, Hastelloy

For More details Visit: http://www.creativeforged.com/hot-inductionbend



<u>Split Tee</u>

## SPECIFICATION

**Standards :** ANSI B31.1, B31.3, ANSI B31.4 & B31.8 ASME Sec. VIII Div.1 &2

Size: 2" TO 48"

Pressure Ratings: 150# TO 2500#

**Stainless Steel Split Tee:** ASTM A403 F304, F304L, F310, F316, F316L, F317, F317L

Carbon Steel Split Tee: ASTM A234 WPB, A860 WPHY 42, WPHY 46, WPHY 52, WPHY 60, WPHY 65, WPHY 70.

Low Temperature Carbon Steel Split Tee: ASTM A420 WPL3, WPL6 For More Details Visit: http://www.creativeforged.com/split-tee/



**Barrel Tee** 

### SPECIFICATION Standards:

ANSI – B 16.9 ASTM A403 – ASME SA403. API 590-605 ASME B16.9 ASME B16.25, ASME B16.28, Corrosion Resistant Applications'
Schedule: 5S, 10S, 20S, S10, S20, S30, STD, 40S, S40, S60, XS, 80S, S80, S100,S120, S140, S160, XXS and etc.
Sizes: 1/2" TO 36"(SEAMLESS UPTO 24")(WELDED 8" TO 36")
Materials: Monel, Nickel, Inconel Hastalloy, Titanium, Stainless Steel, Alloy Steel, Carbon Steel
Type: Butt Weld (BW)
Dimension: ANSI B16.9, ANSI B16.28, MSS-SP-43 Type A, MSS-SP-43 Type B, JIS B2312, JIS B2313
For More Details Visit: http://www.creativeforged.com/split-tee/





